

:
: 8/2017

μ μ -
: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501-+	(17/07-09-2016)	
μ					
3.10.02.01	1	μ μ μ 3,00 m, μ μ μ 4,00 m	08-01-03-01		
3.11.02.01	2	μ μ 3,00 m, μ μ μ 4,00 m	08-01-03-01		
3.12	3	μ μ μ μ μ			
01	4	μ μ μ			
4.13	5	μ			
5.07	6	μ μ μ μ μ μ	08-01-03-02 *	μ	08-01-03-02
5.05.01	7	μ μ μ μ μ μ 50 cm	08-01-03-02 *	μ	08-01-03-02
4.09.02	8	μ μ μ 10 cm			
9.10.03	9	μ μ μ μ μ C12/15	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
38.20.03	10	μ μ μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
5.04	11	μ μ μ	08-01-03-02 *	μ	08-01-03-02

*

	μ.		1501-+	(17/07-09-2016)	
μ					
9.01	12		01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
9.10.04	13	, μ μ , μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
11.01.02	14	K μμ (ductile iron)			
12.14.01.06	15	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 90 mm / 10 atm			
12.14.01.07	16	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 110 mm / 10 atm			
12.14.01.11	17	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 200 mm / 10 atm			
12.14.01.10	18	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 160 mm/ PN 10 atm			
12.14.01.27	19	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 110 mm/ PN 12,5 atm			

	μ.		1501- +	(17/07-09-2016)	
μ					
12.14.01.50	20	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 160 mm / 16 atm			
12.15.01	21	iron) DN 100 mm / C40, (ductile 545			
12.17.01	22	μ (ductile iron). μ , , , μ , μ (μ , μ), μ (, μ μ μ), , μ 545 681-1			
13.03.03.02	23	16 atm μ μ DN 80 mm	08-06-07-02 *		08-06-07-02
13.03.03.03	24	16 atm μ μ DN 100 mm	08-06-07-02 *		08-06-07-02
13.03.03.05	25	16 atm μ μ DN 150 mm	08-06-07-02 *		08-06-07-02
13.10.02.02	26	μ μ - μ μ DN 80 mm 16 atm ,	08-06-07-07 *	-	08-06-07-07
12.20	27				
12.35.05.01	28	μ μ μ μ 13476-3 (DN/OD) , μ PE P, DN/OD 160 mm			
12.35.05.02	29	μ μ μ μ 13476-3 (DN/OD) , μ PE P, DN/OD 200 mm			
12.35.05.03	30	μ μ μ μ 13476-3 (DN/OD) , μ PE P, DN/OD 250 mm			

